References for Garlic article Sue McGarrigle ND Copyright 2016

Extracts from the history and medical properties of garlic
Biljana Bauer Petrovska and Svetlana Cekovska
Pharmacogn Rev. 2010 Jan-Jun; 4(7): 106–110.

Effect of garlic on vancomycin-resistant enterococci.
Jonkers D, Sluimer J, Stobberingh E
Antimicrob Agents Chemother. 1999 Dec; 43(12):3045.

Enzyme inhibition by allicin, the active principle of garlic.
WILLS ED
Biochem J. 1956 Jul; 63(3):514-20.

Death of Salmonella, Escherichia coli O157:H7, and Listeria monocytogenes in garlic butter as affected by storage temperature.
Adler BB, Beuchat LR
J Food Prot. 2002 Dec; 65(12):1976-80.

Allicin, the antibacterial principle of Allium sativum. I. Isolation, physical properties and antibacterial action. Cavallito CJ, Bailey JH. J Am Chem Soc. 1944; 66:1950–1951.

Death of Salmonella typhimurium and Escherichia coli in the presence of freshly reconstituted dehydrated garlic and onion.
Johnson MG, Vaughn RH
Appl Microbiol. 1969 Jun; 17(6):903-5.

Investigations on the antibiotic activity of Allium sativum Jezowa L, Rafinski T, Wrocinski T. L. Herba Pol. 1966;12:3–13.

Antibacterial property of Allium sativum Linn.: in vivo & in vitro studies.
Sharma VD, Sethi MS, Kumar A, Rarotra JR
Indian J Exp Biol. 1977 Jun; 15(6):466-8.

Effect of garlic oil or onion oil on toxin production by Clostridium botulinum in meat slurry. De Witt JC, Notermans S, Gorin N, Kampelmacher EH. J Food Protect. 1979;42:222–224.

Inhibition of mycobacteria by garlic extract (Allium sativum).
Delaha EC, Garagusi VF
Antimicrob Agents Chemother. 1985 Apr; 27(4):485-6.

Activities of garlic oil, garlic powder, and their diallyl constituents against Helicobacter pylori.
O'Gara EA, Hill DJ, Maslin DJ
Appl Environ Microbiol. 2000 May; 66(5):2269-73.

A quantitative assessment of the antimicrobial activity of garlic (Allium sativum).
Rees LP, Minney SF, Plummer NT, Slater JH, Skyrme DA
World J Microbiol Biotechnol. 1993 May; 9(3):303-7.

Garlic (Allium sativum) as an anti-Candida agent: a comparison of the efficacy of fresh garlic and freeze-dried extracts.
Lemar KM, Turner MP, Lloyd D
J Appl Microbiol. 2002; 93(3):398-405.

Effect of garlic-derived allyl sulphides on morphogenesis and hydrolytic enzyme secretion in Candida albicans.
Yousuf S, Ahmad A, Khan A, Manzoor N, Khan LA
Med Mycol. 2011 May; 49(4):444-8.

In vitro effect of aqueous extract of garlic (Allium sativum) on the growth and viability of Cryptococcus neoformans. Fromtling RA, Bulmer GS. Mycologia. 1978;70:397–405.

Inhibitory effects of spices on growth and toxin production of toxigenic fungi. Hitokoto H, Morozumi S, Wauke T, Sakai S, Kurata HAppl Environ Microbiol. 1980 Apr; 39(4):818-22.

Inhibition of fungal growth by garlic extract.
Tansey MR, Appleton JA
Mycologia. 1975 Mar-Apr; 67(2):409-13.

Allium sativum (garlic) inhibits lipid synthesis by Candida albicans.
Adetumbi M, Javor GT, Lau BH
Antimicrob Agents Chemother. 1986 Sep; 30(3):499-501.

Studies on the anticandidal mode of action of Allium sativum (garlic).
Ghannoum MA
J Gen Microbiol. 1988 Nov; 134(11):2917-24.

Anticryptococcal and antiviral properties of garlic. Cai Y. Cardiol Pract. 1991;9:ll.

Antifungal activity of ajoene derived from garlic.
Yoshida S, Kasuga S, Hayashi N, Ushiroguchi T, Matsuura H, Nakagawa S
Appl Environ Microbiol. 1987 Mar; 53(3):615-7.

The prevalence of overgrowth by aerobic bacteria in the small intestine by small bowel culture: relationship with irritable bowel syndrome. Pyleris E, Giamarellos-Bourboulis EJ, Tzivras D, Koussoulas V, Barbatzas C, Pimentel M. Dig Dis Sci. 2012;57(5):1321-1329.

Bacterial populations contaminating the upper gut in patients with small intestinal bacterial overgrowth syndrome. Bouhnik Y, Alain S, Attar A, et al. Am J Gastroenterol. 1999;94(5):1327-1331.

In vitro sensitivity of Blastocystis hominis to garlic, ginger, white cumin, and black pepper used in diet. Abbas Z, Beg MA, et al. Parasitol Res 2011;109:379-85.

Evaluation of the antiparasitic effect of aqueous garlic (Allium sativum) extract in hymenolepiasis nana and giardiasis.
Soffar SA, Mokhtar GM
J Egypt Soc Parasitol. 1991 Aug; 21(2):497-502.

Allium species poisoning.
Fenwick GR, Hanley AB
Vet Rec. 1985 Jan 5; 116(1):28.

Anti-HCMV effect of garlic components. Meng Y, Lu D, Guo N, Zhang L, Zhou G. Virol Sin. 1993;8:147–150.

Demonstration of the anti-viral activity of garlic extract against human cytomegalovirus in vitro.
Guo NL, Lu DP, Woods GL, Reed E, Zhou GZ, Zhang LB, Waldman RH
Chin Med J (Engl). 1993 Feb; 106(2):93-6.

Antiviral properties of garlic: in vitro effects on influenza B, herpes simplex and coxsackie viruses.
Tsai Y, Cole LL, Davis LE, Lockwood SJ, Simmons V, Wild GC
Planta Med. 1985 Oct; (5):460-1.

Antiviral constituents from Allium sativum Hughes BG, Murray BK, North JA, Lawson LD. Pl. Med. 1989:55.

In vitro virucidal effects of Allium sativum (garlic) extract and compounds.
Weber ND, Andersen DO, North JA, Murray BK, Lawson LD, Hughes BG
Planta Med. 1992 Oct; 58(5):417-23.

Garlic: The science and therapeutic application of Allium sativum L. and Related Species. In: Koch, HP, LD Lawson, editors. Reuter HD, Koch HP, Lawson LD. Therapeutic effects and applications of garlic and its preparations. Baltimore: Williams and Wilkins; 1966. pp. 135–213.

Effect of garlic on serum lipids: an updated meta-analysis. Ried K, Toben C, Fakler P (May 2013). Nutrition Reviews 71 (5): 282–99.

Garlic and cardiovascular disease: a critical review.
Rahman K, Lowe GM
J Nutr. 2006 Mar; 136(3 Suppl):736S-740S.

Aged garlic extract inhibits platelet activation by increasing intracellular cAMP and reducing the interaction of GPIIb/IIIa receptor with fibrinogen.
Allison GL, Lowe GM, Rahman K
Life Sci. 2012 Dec 17; 91(25-26):1275-80.

Antioxidant action and therapeutic efficacy of Allium sativum L.Capasso A
Molecules. 2013 Jan 4; 18(1):690-700.

Review The antioxidant mechanisms underlying the aged garlic extract- and S-allylcysteine-induced protection.
Colín-González AL, Santana RA, Silva-Islas CA, Chánez-Cárdenas ME, Santamaría A, Maldonado PD
Oxid Med Cell Longev. 2012; 2012():907162.

Current status of ayurveda in phytomedicine.
Dahanukar SA, Thatte UM
Phytomedicine. 1997 Dec; 4(4):359-68.

Chemopreventive effect of garlic powder diet in diethylnitrosamine-induced rat hepatocarcinogenesis.
Kweon S, Park KA, Choi H
Life Sci. 2003 Sep 26; 73(19):2515-26.

Diallyl disulfide induces ERK phosphorylation and alters gene expression profiles in human colon tumor cells.
Knowles LM, Milner JA
J Nutr. 2003 Sep; 133(9):2901-6.

Allium vegetables and risk of prostate cancer: a population-based study.
Hsing AW, Chokkalingam AP, Gao YT, Madigan MP, Deng J, Gridley G, Fraumeni JF Jr
J Natl Cancer Inst. 2002 Nov 6; 94(21):1648-51.

Impact of various sources of garlic and their constituents on 7,12-dimethylbenz[a]anthracene binding to mammary cell DNA.
Amagase H, Milner JA
Carcinogenesis. 1993 Aug; 14(8):1627-31.

Chemoprevention of N-nitrosomethylbenzylamine-induced esophageal cancer in rats by the naturally occurring thioether, diallyl sulfide.
Wargovich MJ, Woods C, Eng VW, Stephens LC, Gray K
Cancer Res. 1988 Dec 1; 48(23):6872-5.

Effects of allyl methyl trisulfide on glutathione S-transferase activity and BP-induced neoplasia in the mouse.
Sparnins VL, Mott AW, Barany G, Wattenberg LW
Nutr Cancer. 1986; 8(3):211-5.

Antitumor-promoting activity of garlic extracts.
Nishino H, Iwashima A, Itakura Y, Matsuura H, Fuwa T
Oncology. 1989; 46(4):277-80.

Raw Garlic Consumption as a Protective Factor for Lung Cancer, a Population-Based Case-Control Study in a Chinese Population. Jin ZY, Wu M, Han RQ, et al. Cancer Prevention Research. 2013.

Diet and cancer risk in the Korean population: a meta- analysis (PDF). Woo HD, Park S, Oh K, Kim HJ, Shin HR, Moon HK, Kim J (2014). Asian Pacific Journal of Cancer Prevention 15 (19): 8509–19.

Effects of garlic on dyslipidemia in patients with type 2 diabetes mellitus.
Ashraf R, Aamir K, Shaikh AR, Ahmed T
J Ayub Med Coll Abbottabad. 2005 Jul-Sep; 17(3):60-4.

Antihyperglycemic, antihyperlipidemic, anti-inflammatory and adenosine deaminase-lowering effects of garlic in patients with type 2 diabetes mellitus with obesity.
Kumar R, Chhatwal S, Arora S, Sharma S, Singh J, Singh N, Bhandari V, Khurana A
Diabetes Metab Syndr Obes. 2013; 6():49-56.

Garlic as an anti-diabetic agent: recent progress and patent reviews.
Padiya R, Banerjee SK
Recent Pat Food Nutr Agric. 2013 Aug; 5(2):105-27.

Modulatory effects of dietary inclusion of garlic (Allium sativum) on gentamycin-induced hepatotoxicity and oxidative stress in rats.
Ademiluyi AO, Oboh G, Owoloye TR, Agbebi OJ
Asian Pac J Trop Biomed. 2013 Jun; 3(6):470-5.

Amelioration of Nitrate-induced Hepatotoxicity. El-Kott AF. J Med Sci. 2012;12:85–91.

Using garlic to combat antimicrobial resistant urinary tract infections. Universiti Putra Malaysia (UPM). ScienceDaily. ScienceDaily, 10 July 2015.

Preventing the common cold with a garlic supplement: a double-blind, placebo-controlled survey. Josling P1. Adv Ther. 2001 Jul-Aug;18(4):189-93.

Supplementation with aged garlic extract improves both NK and γδ-T cell function and reduces the severity of cold and flu symptoms: a randomized, double-blind, placebo-controlled nutrition intervention. Nantz MP1, Rowe CA, Muller CE, Creasy RA, Stanilka JM, Percival SS. Clin Nutr. 2012 Jun;31(3):337-44.

Effects of Allium sativum (garlic) on systolic and diastolic blood pressure in patients with essential hypertension. Ashraf R1, Khan RA, Ashraf I, Qureshi AA. Pak J Pharm Sci. 2013 Sep;26(5):859-63.

Aged garlic extract lowers blood pressure in patients with treated but uncontrolled hypertension: a randomised controlled trial. Ried K1, Frank OR, Stocks NP. Maturitas. 2010 Oct;67(2):144-50.

Garlic supplementation prevents oxidative DNA damage in essential hypertension. Dhawan V1, Jain S. Mol Cell Biochem. 2005 Jul;275(1-2):85-94.